U.S. Patent Appln. S.N. 10/069,145 AMENDMENT PATENT

## IN THE CLAIMS:

Please cancel claim 14 and amend claims 8-10, 12 and 15, as shown below in the detailed listing of all claims which are, or were, in the application:

## Claims 1-7 (Canceled)

- 8. (Currently amended) A composition for controlled release of a biologically active agent from a carrier, said composition comprising consisting essentially of a biologically active agent which is heparin or a related biologically active acidic polysaccharide, and a carrier which is a sol-gel derived silica xerogel, wherein the xerogel is derived from a tetraalkoxysilane and part of the tetraalkoxysilane is replaced by an organomodified alkylsubstituted alkoxysilane, and wherein said composition is biodegradable.
- 9. (Currently amended) The composition of claim 8, wherein said tetraalkoxysilane is tetraethoxysilane (TEOS), and said organomodified alkoxysilane is an alkylsubstituted alkoxysilane.

U.S. Patent Appln. S.N. 10/069,145 AMENDMENT PATENT

- 10. (Currently amended) The composition of claim 9 claim 8, wherein said alkylsubstituted alkoxysilane is a member selected from the group consisting of methyltriethoxysilane (METES), dimethyldiethoxysilane (DMDES) and ethyltriethoxysilane (ETES).
- 11. (Previously presented) The composition of claim 8, wherein said biologically active agent is heparin and which is present in an amount of 5 to 30 weight percent, calculated on the air dried xerogel.
- 12. (Currently amended) A method for the preparation of a composition of claim 8, consisting essentially of
- a) hydrolysing an alkoxysilane and an organomodified alkvl substituted alkoxysilane in the presence of a catalyst,
- b) optionally adjusting the pH to a value suitable for the biologically active agent,
- c) adding the biologically active agent,
- d) allowing the hydroxysilane to polymerize, and optionally
- e) removing water and alcohol formed in the hydrolyzation from the mixture.

U.S. Patent Appln. S.N. 10/069,145 AMENDMENT PATENT

- 13. (Previously presented) The method of claim 12, wherein the alkoxysilane is a tetraalkoxysilane.
- 14. (Canceled)
- 15. (Currently amended) The method of claim 14 claim 12, wherein said alkylsubstituted alkoxysilane is at least one member of the group consisting of methyltriethoxysilane (METES), dimethyldiethoxysilane (DMDES) and ethyltriethoxysilane (ETES).
- 16. (Previously presented) The method of claim 12, wherein nitric acid or acetic acid is used as a catalyst.